

Notice of Allowability	Application No.	Applicant(s)	
	10/849,778	INOUE ET AL.	
	Examiner	Art Unit	
	Chukwuma O. Nwaonicha	1621	

-- The MAILING DATE of this communication appears on the cover sheet with the correspondence address--

All claims being allowable, PROSECUTION ON THE MERITS IS (OR REMAINS) CLOSED in this application. If not included herewith (or previously mailed), a Notice of Allowance (PTOL-85) or other appropriate communication will be mailed in due course. **THIS NOTICE OF ALLOWABILITY IS NOT A GRANT OF PATENT RIGHTS.** This application is subject to withdrawal from issue at the initiative of the Office or upon petition by the applicant. See 37 CFR 1.313 and MPEP 1308.

1. ☐ This communication is responsive to 11/23/05.
2. ☒ The allowed claim(s) is/are 3-10 (now renumbered 1-8, respectively).
3. ☐ Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f).
 - a) ☐ All b) ☐ Some* c) ☐ None of the:
 1. ☐ Certified copies of the priority documents have been received.
 2. ☐ Certified copies of the priority documents have been received in Application No. _____.
 3. ☐ Copies of the certified copies of the priority documents have been received in this national stage application from the International Bureau (PCT Rule 17.2(a)).

* Certified copies not received: _____.


Applicant has THREE MONTHS FROM THE "MAILING DATE" of this communication to file a reply complying with the requirements noted below. Failure to timely comply will result in ABANDONMENT of this application.
THIS THREE-MONTH PERIOD IS NOT EXTENDABLE.

4. ☐ A SUBSTITUTE OATH OR DECLARATION must be submitted. Note the attached EXAMINER'S AMENDMENT or NOTICE OF INFORMAL PATENT APPLICATION (PTO-152) which gives reason(s) why the oath or declaration is deficient.
5. ☐ CORRECTED DRAWINGS (as "replacement sheets") must be submitted.
 - (a) ☐ including changes required by the Notice of Draftsperson's Patent Drawing Review (PTO-948) attached
 - 1) ☐ hereto or 2) ☐ to Paper No./Mail Date _____.
 - (b) ☐ including changes required by the attached Examiner's Amendment / Comment or in the Office action of Paper No./Mail Date _____.

Identifying indicia such as the application number (see 37 CFR 1.84(c)) should be written on the drawings in the front (not the back) of each sheet. Replacement sheet(s) should be labeled as such in the header according to 37 CFR 1.121(d).
6. ☐ DEPOSIT OF and/or INFORMATION about the deposit of BIOLOGICAL MATERIAL must be submitted. Note the attached Examiner's comment regarding REQUIREMENT FOR THE DEPOSIT OF BIOLOGICAL MATERIAL.

Attachment(s)

- | | |
|---------------------------------------------------------------------------------------------------------------------|----------------------------------------------------------------------------------------|
| 1. <input type="checkbox"/> Notice of References Cited (PTO-892) | 5. <input type="checkbox"/> Notice of Informal Patent Application (PTO-152) |
| 2. <input type="checkbox"/> Notice of Draftsperson's Patent Drawing Review (PTO-948) | 6. <input type="checkbox"/> Interview Summary (PTO-413),
Paper No./Mail Date _____. |
| 3. <input type="checkbox"/> Information Disclosure Statements (PTO-1449 or PTO/SB/08),
Paper No./Mail Date _____ | 7. <input type="checkbox"/> Examiner's Amendment/Comment |
| 4. <input type="checkbox"/> Examiner's Comment Regarding Requirement for Deposit
of Biological Material | 8. <input checked="" type="checkbox"/> Examiner's Statement of Reasons for Allowance |


 JUPITER PATENT EXAMINER
 GROUP 16

DETAILED ACTION

Current Status

1. This action is responsive to Applicants' amendment of 23 November 2005.
2. Receipt and entry of Applicants' amendment is acknowledged.
3. Claims 3-10 are pending in the application.

Allowed Claims

Claims 3-10 are allowable over the prior art of record.

Reason For Allowance

The following is an examiner's statement of reasons for allowance: Applicants' claim a 2,2 dichloro-12-(4-chlorophenyl)-10-hydroxydodecanoic acid and 2,2 dichloro-12-(4-chlorophenyl)-11-hydroxydodecanoic acid, their salts and esters, and all the other variables are as defined in the claims. The compounds, their salts and esters were neither found to be obvious nor anticipated by the prior art of record.

Applicants have amended the claims to overcome the 112 and 103 rejections.

A search of the prior art failed to uncover any reference that teaches or motivates one of ordinary skill disclose 2,2 dichloro-12-(4-chlorophenyl)-10-hydroxydodecanoic acid and 2,2 dichloro-12-(4-chlorophenyl)-11-hydroxydodecanoic acid, their salts and esters as claim by applicants.

All claims (3-10) are allowed.

Any comments considered necessary by applicant must be submitted no later than the payment of the issue fee and, to avoid processing delays, should preferably


accompany the issue fee. Such submissions should be clearly labeled "Comments on Statement of Reasons for Allowance".

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Chukwuma O. Nwaonicha whose telephone number is 571-272-2908. The examiner can normally be reached on Monday thru Friday, 8:30am to 5:00pm.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Johann R. Richter can be reached on 571-272-0646. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see <http://pair-direct.uspto.gov>. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free).

Chukwuma O. Nwaonicha, Ph.D.
Patent Examiner
Art Unit: 1621


Johann R. Richter, Ph.D., Esq.
Supervisory Patent Examiner,

Application/Control Number: 10/849,778
Art Unit: 1621

Page 4

Technology Center 1600